



NATHALIA SECONDARY COLLEGE

ILL STUDENTS / FIRST AID POLICY

Purpose

- The school has in place procedures so all children know that they will be attended with due care when ill and in need of first aid.

Guidelines

- To administer first aid to children when in need in a competent and timely manner.
- To communicate children's health problems to parents when considered necessary.
- To provide supplies and facilities to cater for the administering of first aid.
- To maintain a sufficient number of staff members trained with a level 2 first aid certificate.

Implementation

- A sufficient number of staff (including at least 1 administration staff member) to be trained to a level 2 first aid certificate, and with up-to-date CPR qualifications.
- Admin staff will undertake a coordinating role maintaining medical provision, student medical records, parent notifications and coordinate first aid duties – see Appendix A.
- A first aid room will be available for use at all times. A comprehensive supply of basic first aid materials will be stored in a locked cupboard in the first aid room.
- First aid kits will also be available in each wing of the school, as well as the staff room and administration offices. See Appendix C.
- A supply of medication for teachers will be available in a locked drawer in Admin.
- Supervision, for the sake of consistency of treatment and communication effectiveness, only a small number of qualified and appropriate staff members will be allocated to first aid duty. These staff members will be available during normal working hours at other times when authorised programs are conducted.
- A register of staff with first aid qualification will be kept and updated as required.
- Any children in the first aid room will be supervised by a staff member.
- All injuries or illnesses that occur during class time will be referred to the level 2 first aid trained administration staff who will manage the incident.
- A confidential up-to-date list of injuries will be kept.
- All staff will be provided with infection control training, including the management of blood spills, and a supply of protective disposable gloves will be available for use by staff.



NATHALIA SECONDARY COLLEGE

- Minor injuries only (such as scratches) will be treated by staff members on duty, while more serious injuries-including those requiring parents to be notified or suspected treatment by a doctor - require a level 2 first aid trained staff member to provide first aid.
- Any children with injuries involving blood or broken skin must have the wound covered at all times.
- No medication (including headache tablets) will be administered to children without the express written permission of parents or guardians.
- For more serious injuries/illnesses, the parents/guardians must be contacted by the administration staff so that professional treatment may be organised. Any injuries to a child's head, face, neck or back must be reported to parents/guardian.
- Any student who is collected from school by parents/guardians as a result of an injury, or who is administered treatment by a doctor/hospital or ambulance officer as a result of an injury, or has an injury to the head, face, neck or back, or where the treating first aid teacher considers the injury to be greater than "minor" will be reported on Department of Education Accident/Injury form LE375, and entered onto CASES21.
- Serious injuries, fatalities, or any incident that exposed a person to immediate risk to their health or safety must be reported to the Department of Education Emergency and Security Management Branch immediately on (03) 9589 6266 and WorkSafe on (13 23 60) and reference should be made by staff to the school's Incident Management policy.
- Parents of ill children will be contacted to take the children home.
- Parents who collect children from school for any reason (other than emergency or the end of the school day) must sign the child out of the school in a register maintained in the school office.
- All teachers have the authority to call an ambulance immediately in an emergency. If the situation and time permits, a teacher should confer with others before deciding on an appropriate course of action.
- All school camps will have at least 1 Level 2 first aid trained staff member at all times.
- A comprehensive first aid kit will accompany all camps, along with a mobile phone.
- All children attending camps or excursions will have provided a signed medical form providing medical details and granting teachers permission to contact a doctor or ambulance should instances arise where their child requires treatment. Copies of the signed medical forms to be taken on camps and excursions, as well as kept at school.
- All children attending camps or excursions who require medication will have provided a signed written parent permission form providing details of medications to be administered and granting teachers permission to administer the medications.



NATHALIA SECONDARY COLLEGE

- All children with asthma or diabetes or anaphylaxis are required to present the school with a management plan prepared by their treating practitioners, and to provide the school with the asthma medications, hypokits or epipens etc needed to implement their plan at school. See Appendix B.
- All children, especially those with a documented Asthma Management Plan, will have access to Ventolin and spacer.
- A member of staff is to be responsible for the purchase and maintenance of first aid supplies, first aid kits, ice packs and the general upkeep of the first aid room.
- First aid training and revisions of recommended procedures for responding to asthma, diabetes and anaphylaxis will also be undertaken each year.
- It is recommended that all students have personal accident insurance and ambulance cover.
- CPR training is completed by all staff annually.



NATHALIA SECONDARY COLLEGE

Appendix A.

First Aid Officers

Consistent with the Department's First Aid Policy and Procedures, the school will have staff member/s trained in First Aid. The names and details of First Aid trained staff including their level of first aid and first aid expiry dates, will be provided as soon as they are known.

First Aid Duties

The First Aider is required to undertake a coordinating role maintaining standard medical service provision, student medical records and parent notifications.

Their specific duties include:

- Participating in the risk management process within the school as part of the school's OHS team. This may include contributing to risk management solutions and providing feedback on injury reports and first aid register data to identify persistent or serious hazards.
- Coordinating first aid emergency awareness training for staff including emergency notification processes, a list of responsible officers and provision of emergency phone numbers.
- Maintaining first aid room and first aid kits (allocate responsibility to one person.)
- Providing first aid services commensurate with competency and training. This may include all or some of emergency life support including response to life threatening conditions which may occur in the school (e.g. cardiac arrest or respiratory difficulties associated with asthma), management of severe bleeding, basic wound care, fractures, soft tissue injury.
- Recording all first aid treatment. A copy of treatment provided shall be forwarded with the patient where further assistance is sought. The first aider should respect the confidential nature of any information given.
- Providing input on first aid requirements for excursions and camps.

The First Aider will be available at the school during normal working hours and at other times when authorised Department programs are being conducted.

Where possible, only staff with first aid qualifications will provide first aid. However, in an emergency other **staff may be required to help within their level of competency.**



NATHALIA SECONDARY COLLEGE

Appendix B.

Assessment and First Aid Treatment of an Asthma attack

If a student develops signs of what appears to be an asthma attack, appropriate care must be given immediately.

Assessing the severity of an asthma attack

Asthma attacks can be:

Mild - this may involve coughing, a soft wheeze, minor difficulty in breathing and no difficulty speaking in sentences

Moderate - this may involve a persistent cough, loud wheeze, obvious difficulty in breathing and ability to speak only in short sentences

Severe - the student is often very distressed and anxious, gasping for breath, unable to speak more than a few words, pale and sweaty and may have blue lips.

All students judged to be having a severe asthma attack require emergency medical assistance.

Call an ambulance (dial 000), notify the student's emergency contact and follow the '4 Step Asthma First Aid Plan' while waiting for the ambulance to arrive. When calling the ambulance state clearly that a student is having 'breathing difficulties.' The ambulance service will give priority to a person suffering extreme shortness of breath. Regardless of whether an attack of asthma has been assessed as mild, moderate or severe, Asthma First Aid (as detailed below) must commence immediately. The danger in any asthma situation is delay. Delay may increase the severity of the attack and ultimately risk the student's life.

Asthma First Aid

If the student has an Asthma Action Plan, follow the first aid procedure immediately. If no, Asthma Action Plan is available in the steps outlined below should be taken immediately.

The 4 Step Asthma First Aid Plan (displayed in Sick Bay and classrooms):

Step 1

Sit the student down in as quiet an atmosphere as possible. Breathing is easier sitting rather than lying down. Be calm and reassuring. Do not leave the student alone.

Step 2

Without delay give 4 separate puffs of a blue reliever medication (*Airomir, Asmol, Epaq or Ventolin*). The medication is best given one puff at a time via a spacer device. If a spacer device is not available, simply use the puffer on its own. Ask the person to take 4 breaths from the spacer after each puff of medication.



NATHALIA SECONDARY COLLEGE

Step 3

Wait 4 minutes. If there is little or no improvement repeat steps 2 and 3.

Step 4

If there is still little or no improvement; call an ambulance immediately (dial 000). State clearly that a student is having 'breathing difficulties.'

Continuously repeat steps 2 and 3 while waiting for the ambulance.

Assessment and First Aid Treatment of Anaphylaxis

What is anaphylaxis?

Anaphylaxis is a severe, rapidly progressive allergic reaction that is potentially life threatening. Although allergic reactions are common in children, severe life threatening allergic reactions are uncommon and deaths are rare. However, deaths have occurred and anaphylaxis is therefore regarded as a medical emergency that requires a rapid response.

Signs and symptoms:

The symptoms of a mild to moderate allergic reaction can include:

- swelling of the lips, face and eyes
- hives or welts
- abdominal pain and/or vomiting.

Symptoms of anaphylaxis (a severe allergic reaction) can include:

- difficulty breathing or noisy breathing
- swelling of the tongue
- swelling/tightness in the throat
- difficulty talking and/or a hoarse voice
- wheezing or persistent coughing
- loss of consciousness and/or collapse
- young children may appear pale and floppy.

Symptoms usually develop within 10 minutes to one hour of exposure to an allergen but can appear within a few minutes.

The role and responsibilities of the principal

This principal or nominee has overall responsibility for implementing strategies and processes for ensuring a safe and supporting environment for students at risk of anaphylaxis. The principal will:

- Actively seek information to identify students with severe life threatening allergies at enrolment.
- Conduct a risk assessment of the potential for accidental exposure to allergens while the student is in the care of the school.
- Meet with parents/carers to develop an Anaphylaxis Management Plan for the student. This includes documenting practical



NATHALIA SECONDARY COLLEGE

strategies for in-school and out-of-school settings to minimise the risk of exposure to allergens, and nominating staff who are responsible for their implementation.

- Request that parents provide an ASCIA (Australasian Society of Clinical Immunology and Allergy) Action Plan that has been signed by the student's medical practitioner and has an up to date photograph of the student
- Ensure that parents provide the student's EpiPen® and that it is not out of date.
- Ensure that staff obtain training in how to recognise and respond to an anaphylactic reaction, including administering an EpiPen®.
- Develop a communication plan to raise student, staff and parent awareness about severe allergies and the school's policies.
- Provide information to all staff so that they are aware of students who are at risk of anaphylaxis, the student's allergies, the school's management strategies and first aid procedures. This can include providing copies or displaying the student's ASCIA Action Plan in canteens, classrooms and staff rooms, noting privacy considerations.
- Ensure that there are procedures in place for informing casual relief teachers of students at risk of anaphylaxis and the steps required for prevention and emergency response.
- Ensure that any external canteen provider can demonstrate satisfactory training in the area of anaphylaxis and its implications on food handling practices.
- Allocate time, such as during staff meetings, to discuss, practise and review the school's management strategies for students at risk of anaphylaxis. Practise using the trainer EpiPen® regularly.
- Encourage ongoing communication between parents/carers and staff about the current status of the student's allergies, the school's policies and their implementation.
- Review the student's Anaphylaxis Management Plan annually or if the student's circumstances change, in consultation with parents.

The role and responsibilities of all school staff who are responsible for the care of students at risk of anaphylaxis

School staff who are responsible for the care of students at risk of anaphylaxis have a duty to take steps to protect students from risks of injury that are reasonably foreseeable. This may include administrators, canteen staff, casual relief staff, and volunteers. Members of staff are expected to:

- Know the identity of students who are at risk of anaphylaxis.
- Understand the causes, symptoms, and treatment of anaphylaxis.
- Obtain training in how to recognise and respond to an anaphylactic reaction, including administering an EpiPen®.



NATHALIA SECONDARY COLLEGE

- Know the school's first aid emergency procedures and what your role is in relation to responding to an anaphylactic reaction.
- Keep a copy of the student's ASCIA Action Plan (or know where to find one quickly) and follow it in the event of an allergic reaction.
- Know where the student's EpiPen® is kept. Remember that the EpiPen® is designed so that anyone can administer it in an emergency.
- Know and follow the prevention strategies in the student's Anaphylaxis Management Plan.
- Plan ahead for special class activities or special occasions such as excursions, incursions, sport days, camps and parties. Work with parents/carers to provide appropriate food for the student.
- Be aware of the possibility of hidden allergens in foods and of traces of allergens when using items such as egg or milk cartons in art or cooking classes.
- Be careful of the risk of cross-contamination when preparing, handling and displaying food.
- Make sure that tables and surfaces are wiped down regularly and that students wash their hands after handling food.
- Raise student awareness about severe allergies and the importance of their role in fostering a school environment that is safe and supportive for their peers.

Individual Anaphylaxis Management Plans

Every student who has been diagnosed as at risk of anaphylaxis will have an individual Anaphylaxis Management Plan. (see **Care Arrangements for Ill Students Policy**).

The student's Anaphylaxis Management Plan will clearly set out:

- the type of allergy or allergies.
- the student's emergency contact details.
- practical strategies to minimise the risk of exposure to allergens for in-school and out of class settings, including:
 - » during classroom activities
 - » in canteens or during lunch or snack times
 - » before and after school, in the yard and during breaks
 - » for special events such as incursions, sport days or class parties
 - » for excursions and camps.
- the name of the person/s responsible for implementing the strategies.
- information on where the EpiPen® will be stored.

The Anaphylaxis Management Plan will also include an individual ASCIA Action Plan, which sets out the emergency procedures to be taken in the event of



NATHALIA SECONDARY COLLEGE

an allergic reaction. (ASCIA, the Australasian Society of Clinical Immunology and Allergy, is the peak body of immunologists and allergists in Australia).

It is the responsibility of parents/carers to complete an ASCIA Action Plan, in consultation with their child's medical practitioner, and provide a copy to the High School. The ASCIA Action Plan must be signed by the student's medical practitioner, and have an up to date photograph of the student.

As a student's allergies may change with time, our High School will ensure that the student's Anaphylaxis Management Plan and ASCIA Action Plan are kept current and reviewed annually with the student's parents/carers. When reviewed, parents will be expected to provide an updated photo of the child for the ASCIA Action Plan.

Appendix C.

First Aid Kit Contents

Consistent with the Department's First Aid Policy and Procedures the school will maintain a First Aid Kit that includes the following items:

- an up-to-date first aid book – examples include:
 - First aid: Responding to Emergencies, Australian Red Cross
 - Australian First Aid, St John Ambulance Australia (current edition)
 - Staying Alive, St John Ambulance Australia, (current edition)
- wound cleaning equipment
 - gauze swabs: 100 of 7.5 cm x 7.5 cm divided into small individual packets of five
 - sterile saline ampoules: 12 x 15 ml and 12 x 30 ml
 - disposable towels for cleaning dirt from skin surrounding a wound
- wound dressing equipment
 - sterile, non-adhesive dressings, individually packed: eight 5 cm x 5 cm, four 7.5 m x 7.5 m, four 10 cm x 10 cm for larger wounds
 - combine pads: twelve 10 cm x 10 cm for bleeding wounds
 - non-allergenic plain adhesive strips, without antiseptic on the dressing, for smaller cuts and grazes
 - steri-strips for holding deep cuts together in preparation for stitching
 - non-allergenic paper type tape, width 2.5 cm–5 cm, for attaching dressings



NATHALIA SECONDARY COLLEGE

- conforming bandages for attaching dressings in the absence of tape or in the case of extremely sensitive skin
- six sterile eye pads, individually packed
- bandages
 - four triangular bandages, for slings, pads for bleeding or attaching dressings, splints, etc
 - conforming bandages: two of 2.5 cm, two of 5 cm, six of 7.5 cm and two of 10 cm – these may be used to hold dressings in place or for support in the case of soft tissue injuries
- lotions and ointments
 - cuts and abrasions should be cleaned initially under running water followed by deeper and more serious wounds being cleaned with sterile saline prior to dressing. Antiseptics are not recommended
 - any sun screen, with a sun protection factor of approximately 15+
 - single use sterile saline ampoules for the irrigation of eyes
 - creams and lotions, other than those in aqueous or gel form, are not recommended in the first aid treatment of wounds or burns
 - asthma equipment (which should be in all major portable kits, camping kits, sports kits, etc)
 - blue reliever puffer (e.g. Ventolin) that is in date
 - spacer device
 - alcohol wipes

Other equipment includes:

- single use gloves – these are essential for all kits and should be available for teachers to carry with them, particularly while on yard duty
- blood spill kits
- vomit spill kits
- one medicine measure for use with prescribed medications
- disposable cups
- one pair of scissors (medium size)
- disposable splinter probes and a sharps container for waste
- disposable tweezers
- one teaspoon
- disposable hand towels
- pen-like torch, to measure eye-pupil reaction
- two gel packs, kept in the refrigerator, for sprains, strains and bruises or disposable ice packs for portable kits
- adhesive sanitary pads, as a backup for personal supplies
- flexible ‘sam’ splints for fractured limbs (in case of ambulance delay)
- additional 7.5 m conforming bandages and safety pins to attach splints
- blanket and sheet, including a thermal accident blanket for portable kits
- germicidal soap and nail brush for hand-cleaning only
- one box of paper tissues



NATHALIA SECONDARY COLLEGE

- paper towel for wiping up blood spills in conjunction with blood spill kit
- single use plastic rubbish bags that can be sealed, for used swabs and a separate waste disposal bin suitable for taking biohazard waste (note: Biohazard waste should be burnt and there are several companies that will handle bulk biohazard waste)
- ice cream containers or emesis bags for vomit.

2. Emergency Telephone Numbers

Poisons Information Service	13 11 26
Ambulance	000